



SIKANDER
Brother



**ORTHODONTIC
INSTRUMENTS**



SIKANDER
Brother

Providing the highest quality precision instruments to the profession.

QUALITY CRAFTSMANSHIP

All orthodontic instruments are using the finest grade stainless steel. They feature a smooth finish for reduced glare, an easy to clean surface, and are corrosion resistant. Handle size, shape and weight create perfect balance. The instruments are all hand polished, leaving smooth non-glare contoured edges for both user and patient comfort.

JOINT CONSTRUCTION

All orthodontic instruments have a box and lap joint hinged construction for durability and continuously smooth operation. Joint pliers are known for perfect tip alignment, longevity and exceptional performance each and every time. Handles were designed with your comfort and ergonomics in mind, because we know a good plier goes a long way.

MATERIAL QUALITY

The cutting edges of all instruments are manufactured from a custom blended speciality alloy which offers many advantages over tool steel and tungsten carbide. The inserts are highly corrosion resistant and will remain bright without tarnishing throughout the life of the instrument. All of the cutting edges are exceptionally tough without being brittle like tungsten carbide and will provide superior sharpness and long lasting strength.

WARRANTY

All our instruments are warranted against material defects and craftsmanship. Sharpening cutters and/or repairing minor tip damage is not covered by warranty as this is considered to be routine maintenance for normal use.



SIKANDER
Brother

Providing the highest quality precision instruments to the profession.

We are manufacturer and exporter of dental instruments and orthodontic instruments. We are manufacturing instruments in a high quality controlled under the supervision of highly qualified engineers / professional to satisfy our customers.


The quality management system has been properly implemented and is successfully working at all production stages. We carry out all the necessary tests, inspections and process control activities to ensure that there is no problem with the instruments performance.

The technical specifications are provided for more understanding of the products and to improve the confidence of the customer.

Although this catalogue doesn't cover all the range of orthodontic instruments, yet it assures you that we can make every type of instruments. So we will welcome your all inquiries, also for your required instruments which have not been listed in this catalogue.

CONTENTS

Hard Wire, Pin and Ligature Cutter	01
Utility Pliers	02 - 03
Wire Bending Pliers	04 - 06
Lab Pliers	07 - 08
Lingual Pliers	09 - 11
Distal End Cutters	12
Cutting and Utility Pliers	13
Wire Forming Pliers	14 - 15
Regency Pliers	16
Aligner Pliers	17 - 19
Elastic Separating Pliers	20
Hand Instruments & Hemostats	21
Orthodontic Forceps	22 - 23
Orthodontic Instruments	24 - 26






66-5001

Hard Wire Cutter with T.C.


Easily cuts any size archwire or pin.
 Minimum Cutting Capacity: .012" (.30mm)
 Maximum Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



66-5002

Hard Wire Cutter 15 Angle with T.C.


Easily cuts any size archwire or pin.
 Minimum Cutting Capacity: .012" (.30mm)
 Maximum Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



66-5003

Heavy Duty Cutter with T.C.

This Instruments cuts up to 1.5mm wire with ease due to its triple action design.
 Minimum Cutting Capacity: .14" (.36mm)
 Maximum Cutting Capacity: wire up to .060" (1.5mm)



66-5003A

Autoclavable Heavy Duty Cutter with T.C


For heavy duty wire cutting
 Minimum Cutting Capacity: .012" (.30mm)
 Maximum cutting capacity: .040" (1mm)



66-5004

Pin Ligature Cutter 7 Angle with T.C.

Standard cutter with 7 angled tips to allow easy access and better visibility in difficult areas.
 Minimum Cutting Capacity: soft wire up to .16" (.41mm)



66-5005

Micro-Miniature Ligature Cutter with T.C.

The small narrow and sharp pointed tips allow easy access to the most difficult areas.
 Minimum Cutting Capacity: soft wire up to .12" (.30mm)



66-5006

Micro Mini Long Ganded Ligature

The small narrow and sharp pointed tips allow easy access to the most difficult areas.
 Minimum Cutting Capacity: soft wire up to .12" (.30mm)



66-5007

Standard Ligature Cutter with T.C.

This cutter has fine tps for easier access to difficult to reach areas.
 Cuts pins, wire ligatures and elastics.
 Minimum Cutting Capacity: soft wire up to .15" (.40mm)



66-5026
Small Weingart Utility Plier
 Serrated tips hold wires firmly at a convenient working angle. Holds round, square and rectangular wires up to .022" x .028" (.56 x 71mm)



66-5027
Small Weingart Utility Plier with T.C.
 Tips hold wires firmly at a convenient working angle. Holds round, square and rectangular wires up to .022" x .028" (.56 x 71mm)




66-5028
Large Weingart
 Precision serrated tips are designed for heavy wires and to prevent the wire from slipping. Holds wire up to .33" (.76mm).



66-5029
Large Weingart Utility Plier with T.C.
 Precision serrated tips are designed for heavy wires and to prevent the wire from slipping. Holds wire up to .33" (.76mm).



66-5030
Fine Tipped Weingart
 Sturdy construction without T.C. This strong but fine tipped utility plier allows excellent access in difficult to reach areas. Holds wire up to .022" x .028" (.56 x .71mm)



66-5031
How Utility Plier (Straight)
 A versatile utility plier with a long tapered tip. The 3/32" diameter tips are serrated to prevent slippage. The tips are rounded for patient comfort and safety.




66-5032
How Utility Plier (Angled)
 45 degree angled tips for convenient access to lingual and other difficult to reach areas. Matching serrated tips hold wires firmly at a convenient working angle.



66-5033
Crimpable Archwire Hook Plier
 Designed for surgical ball hooks and auxiliaries. The slotted tip holds auxiliaries secure to provide for positive crimping.




66-5034
Stops Cramping Plier
 For applying crimpable stops to archwires.




66-5035
Posterior Band Remover (Short)
 The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band.
 Replacement Tips 3/16" (5mm)
 Replacement Tips 1/8" (4mm)



66-5036
Posterior Band Remover (Long)
 The plastic pad rests on the occlusal surface of the molar which places the removing tip in the perfect position to catch the gingival edge of the band.
 Replacement Tips 3/16" (5mm)
 Replacement Tips 1/8" (4mm)



66-5037
Direct Bound Remover (Straight)
 Sharp tips wedge between the edges of the bracket base and tooth surface to remove direct bound brackets safely and comfortably.



66-5038
Direct Bound Remover (Angled)
 Sharp tips wedge between the edges of the bracket base and tooth surface to remove direct bound brackets safely and comfortably.




66-5039
Direct Bound Remover with T.C.
 Removes brackets easily by holding the side of the bracket in a horizontal the tie wing and applying pressure by torquing in a clockwise n




66-5040
Small Adams with T.C.
 Square beak 1mm at tip and parallel at .045" opening. Effective for wires up to .030" (.76mm)



66-5041
Crimpable Hook Plier (CHP)




66-5076
Light Wire Plier with Cutter/2 Grooves
 These smooth tipped pliers bend archwires from .012" to .020" (.30mm - .53mm). Beaks are grooved for round wire at 1mm and 2mm from tips. Cutter at base of beaks cuts archwires from .014" to .020" (.36mm - .51mm).




66-5077
Light Wire Plier
 These smooth tipped pliers bend archwires from .012" to .020" (.30mm - .53mm). Beaks are grooved for round wire at 1mm and 2mm from tips. Cutter at base of beaks cuts archwires from .014" to .020" (.36mm - .51mm).




66-5078
Bird Break Plier
 Plier for working with round wire up to .028" (.71mm). The round beak is precision ground to a perfect cone-.025" at the tip. The pyramid beak is exactly .025" wide at the tips.




66-5079
Bird Beak Plier with T.C.
 Plier for working with round wire up to .028" (.71mm). The round beak is precision ground to a perfect cone-.025" at the tip. The pyramid beak is exactly .025" wide at the tips.




66-5080
Long Beak Light Wire Plier
 Longer Beaks for making precision loops in light wires. can be used with round and square wire up to .020" (.51mm).



66-5081
Tweed Loop Forming Plier with Cutter
 Ideal for making consistent uniform loops. The tip has three sections of 1.2mm, 1.8mm and 2.0mm with matt finish to prevent wire slippage. Can be used with round and square wire up to .021" x .025" (.55 x 64mm). Built in cutter allows wire to be cut from .014" to .020" (.36mm - .51mm).



66-5082
O'Brine Loop Forming Plier
 The Perfect plier for making Bull, Omega and loops. This plier has one precision cylindrical three-step beak and one concave, serrated surface to prevent wire slippage. Can be used with round & square wire up to .021 x .025" (.55 x 64mm).



66-5083
Nance Plier
 Precision loop forming with four step tips 3mm, 4mm, 5mm & 6mm. Excellent for round & square wires up to .022" (.56mm). All working edges have been beveled to prevent wire scoring.



66-5084

Tweed Arch Forming Plier with T.C.


Designed for torquing and bending square or rectangular wires. The blades are designed to be parallel at .020" opening. Can be used on wires up to .21" x 025" (.55 x 65mm)



66-5085

Tweed Arch Forming Plier


Designed for torquing and bending square or rectangular wires. The blades are designed to be parallel at .020" opening. Can be used on wires up to .21" x 025" (.55 x 65mm)



66-5086

Tweed Plier


Precision aligned tips are gently rounded for consistent contouring and bending without damaging the archwire. One-piece construction of the double tips ensures superior strength. Can be used on wire up to .030" (.76mm).



66-5087

Fine 3-jaw Plier

Precision aligned tips are gently rounded for consistent contouring and bending without damaging the archwire. One-piece construction of the double tips ensures superior strength. Can be used on wire up to .030" (.76mm).



66-5088

De La Rosa

Precision matched concave and convex tips for smooth contouring of light wire loops. Contours and forms arches without torquing. Can be used on wires up to .21" x .025" (.55mm x .64mm).



66-5089

De La Rosa with Grooves


Precision matched concave and convex tips for smooth contouring of light wire loops. Contours and forms arches without torquing with additional grooves respectively measuring .016", .018" (.55mm x .64mm).



66-5090

Detailing Step Plier

Double-sided offset beak permits bayonet bands. Creates right and step-down at 1/2, 3/4, or 1mm increments.



66-5091

3mm Utility Plier

Automatically forms 3mm step in archwire. Excellent instruments for bending utility archwires

Wire Bending Pliers

Drahtbiegezange
Alicates para doblar cables




SIKANDER
Brother



66-5092

V Bend Plier


Provides positive 1mm V bend any part of the archwire to stop archwire movement.



66-5093

Utility Arch Plier (straight)

Special design with 3mm step for accurate utility arch construction. The notches in plier beaks crimp performed utility archwires into proper position



66-5094

Angled Utility Arch Plier

Angled beak with pin simplifies the placement and manipulation of performed utility archwires from 3mm steps for accurate utility arch construction. Preformed utility archwires can be easily crimped in the mouth.



66-5095

Torquing Plier Set

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.



66-5096

Torquing Plier Set

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.




66-5097


Torque Bending Plier

The torquing plier set allows the accurate placement of torque to square/rectangular archwires. Both Male and Female parts have hard wearing Tungsten Carbide tips.





66-5126
Adams Pliers
 T.C. inserted tips.
 Bends hard wire up to .039" (1.00mm) max



66-5127
Spring Former Plier
 T.C. inserted tips.
 Bends hard wire up to 0.28" (0.7mm) max



66-5128
Universal General Use Plier
 Stainless steel.
 Bends hard wire up to .039" (1.0mm) max.
 Cuts hard wire up to .028" (0.7)max.



66-5129
Universal waldsach Plier
 Cut & Bends hard wires up to 1mm. Multifunctional




66-5130
Three Jaw Plier
 For hardwire up to .024" (0.6mm)max



66-5131
Young Plier
 For labial arches and canine loops.
 For hardwire up to .028" (0.7mm) max




66-5132
Bird beak pliers with serrated tip
 Affords a firm non-slip grip on heavy up to .036" all stainless steel with tools steel inserts.



66-5133
Lingual Arch Bending Plier
 For forming of all lingual retainers. grooved to hold all larger wire sizes, jaw width is .120" (3.05mm). Also ideal for double and triple back bends. Bends round, square and rectangular wires up to .036" (0.91mm) max.




66-5134
Swartz Plier
 Arrow clasp forming plier, for wire up to .028" (0.7mm) max.



66-5135
Conical Flat Nose Plier
 One tip serrated. One tip smooth. For use with wire up to .028" (0.7mm) max.



66-5136
Optical Plier
 For hardwire up to .028" (0.7mm) max.




66-5137
Flat Nose Plier
 A favorite general plier - both tips of this flat nose plier are serrated with a guiding groove for use by technician or clinician for chairside adjustments of wire up to 0.7mm



66-5138
Clasp 3-prong Adjusting Plier
 Affords a firm non-slip grip on heavy up to .36" all stainless steel with tools steel inserts.



66-5139
Lingual Bar & Facebow Plier
 Stainless Steel box-joint forging, this instrument is capable of bending wire up to .075" diameter. The plier has large handles and is 3/4" larger than a standard instrument making bending an ease.



66-5140
Three Jaw Plier
 For hand wire up to 1mm. max



66-5141
Nance Loop Closing Pliers
 For bending stop loops and special pliers for adams clasps clasps wires up to .028



66-5176
Flush Cut Distal End Safety Hold Cutter with T.C. / Small.

Minimum Cutting Capacity: .012" (.30mm)
 Minimum Cutting Capacity: arch wires up to .021" (.55 x .65mm)
 The Flush Cut Feature Of This Instruments Allows the archwire to be cut flush with the end of the buccal tube, eliminating the



66-5177
Long Handle Distal End Cutter with TC

Minimum Cutting Capacity: .012" (.30mm)
 This instrument features long handles and a slim box joint with a compact head to ensure access in hard to reach areas.



66-5178
Micro- Miniature Lagature Cutter With T.C.

Minimum Cutting Capacity: soft wire up to .012" (.30mm)
 The small, narrow & sharp Pointed Tips allow easy access to the most difficult areas.



66-5179
Micro Mini Long Handled Ligature Cutter

Minimum Cutting Capacity: soft wire up to .012" (.30mm)



66-5180
Long Handle Ligature Cutter 50 Angle Upper

The narrow tip is angled at 50 for excellent access to the upper arch.
 Minimum Cutting Capacity: soft wire up to .012" (.30mm)



66-5181
Mini or Normal Handled Laigature Cutter Upper Standard Handle

The narrow tip is angled at 50 for excellent access to the upper arch.
 Minimum Cutting Capacity: soft wire up to .012" (.30mm)



66-5182

Mini Laigature Cutter Cutter 60 Angle Lower

Angled at 60 for excellent access to the lower arch.
Minimum Cutting Capacity: soft wire up to .012" (.30mm)



66-5183

Weingart 60 Angle with T.C.

Small serrated Tungsten Carbide tips are angled at 60 for easy access in the posterior region.
Minimum Cutting Capacity: .012" (.30mm)
Maximum Cutting Capacity: .18" (.64mm) wire.



66-5184

Cinch Back Small Handle

Cinches and bends NiTi archwires distal to the buccal tube. Slim beak for use with Nickel Titanium Wire .019" - .025"



66-5185

Cinch Back


The serrated tips of this instruments hold the wire securely while bending the wire 90 distal to the buccal tube, avoiding patient discomfort. For use with Nickel Titanium wire .12" - .018" (.30 x .46mm)



66-5186

Stepped Tweed Arch Plier

Designed for Torquing & Bending both square & rectangular Wire.
Minimum Cutting Capacity: wire up to .21" x .025" (.55mm x .65mm)





66-5201

Bracket Remover


The narrow sharp tips, wedge between the edges of the bracket basw & tooth surface to remove direct bond brackets safely & comfortably



66-5202

Lingual Anterior Debonding Plier

Designed to remove Anterior brackets with easy including brackets with large bases such as the 3M Incognito system.



66-5203

Lingual Debonding Plier

Lingual Debonding Plier. Ideal for debonding of lingual brackets in the anterior area and please check that the screw is always firmly tightened.



66-5204

Lingual Bracket and Bondable Tube Holder

Reverse action Tube placer designed for placing bondable tubes and lingual brackets and attachments. Curved design allows placement with an unobstructed views.



66-5205

Curved Smaha

Fine curved tips but strong enough for inserting archwires & excellent for placing elastomerics to lingual brackets.



66-5206

Lingual Assitance Ligature

Director 0.018"
 Specially designed for lingual application.

66-5207

Lingual Assitance Ligature

Director 0.018"
 Specially designed for lingual application.



66-5226

Distal End Safety Hold Cutter with T.C.

This instrument cuts wires close to the buccal tube and safely holds the distal end.

Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



66-5227

Long Handled Distal End Safety Hold Cutter with T.C.

This instrument features extra long handles and a compact head to ensure access in hard to reach areas.

Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



66-5228

Flush Cut Distal End Safety Hold Cutter with T.C.

The flush cut feature of this instrument allows the archwire to be cut flush with the end of the buccal tube eliminating the possibility of patient discomfort resulting from archwire protrusion.

Minimum Cutting Capacity: .12" (.30mm)

Maximum Cutting Capacity: archwires up to .021" x .025" (.55 x .64mm)



SIKANDER
Brother

LAP JOINT SERIES

**Quality and engineering come
together for superior performance**

Ortho dental instruments line provides the orthodontic professional an exquisite product offering of instruments.

The attention to detail in the engineering of these durable, high quality instruments is unmatched in the industry.

Every instrument offers:

Bonding pliers offer a smooth, radius joint.

Instruments tips stay aligned and perform smoothly for stress-free use.

Laser engraved part number and applicable wire sizes for easy identification.

www.snb.com.pk



Cutting and Utility Pliers

Schneid- und Mehrzweckzangen

Alicates de corte y utilidad

EN

DE

ES



SIKANDER
Brother



66-5301

Distal End Cutter (Safety Hold)

Shear cuts hard wire, and can easily cut all types of wires ranging from .012" (.30mm) to .021" x .025" (.53 mm x .64mm).



66-5302

Distal End Cutter Safety Hold & Flush Cut

The safety hold cutter cuts flush distal to the buccal tube. Cuts up to .020" round (.51mm) or .019" x .25" (.48mm x 64mm) rectangular.



66-5303

Distal End Cutter (Safety Hold)

w/Long Handle. Long handle option that can easily cut all types of wires ranging from .012" (.30mm) to .021" x .025" (.53 mm x .64mm).



66-5304

Hard wire Cutter

Designed to cut hard wire up to .022" (.56mm x .71mm).



66-5305

Multi-Use Cutter

Designed to cut soft-wire pins and ligature wire up to .015"



66-5306

Micro Mini Pin & Ligature Cutter,

15 Angles. 15 offset with fine tips allow access into hard-to-reach areas. Designed to cut soft-wire pins, elastics, and ligature wire up to .012" (.30mm)



66-5307

Micro Mini Pin & Ligature Cutter.

The fine tips on this model allow access into hard-to-reach areas. Designed to cut soft-wire pins, elastics, and ligature wire up to .012" (.30mm)



66-5308

Weingart Pliers

Serrated tips hold wires firmly in the mouth. Tapered beaks fit easily into hard-to-reach areas.



66-5309

How Pliers

Serrated tips are designed for superior wire gripping. How Pliers are Useful for placement and removal of archwires pins, and other auxiliaries.



66-5310

Weigart universal pliers Mini

Very slender design. For holding and positioning the arch. Accurately closing tips. Max. wire thickness: 0.5 mm, hard wires.



66-5311

Posterior Band Remover, Long

Safely and quickly removes posterior bands. The pointed tip slides under the band while the plastic tip protects the occlusal surface of the tooth for easy band removal and patient comfort.



66-5312

Debonding Pliers

Safely and easily removes steel, ceramic, and plastic direct bound brackets and remaining adhesive from the tooth surface.



66-5313
Band Removing Pliers,
 These pliers come with a 3/16" (4.76mm) pad already loaded in the working ending and an extra 1/4" (6.35mm) pad for trial



66-5314
Crown & Band Contouring Pliers.
 Ideal for reshaping molar bands and crowns.



66-5315
Adhesive Removing Pliers
 Superior tip design allows easy access to remove excess adhesive after debonding. Double ended replaceable blade.



66-5316
Jarabak Pliers
 Excellent for precise wire bending and forming of loops. The fine serrations on the square beak and three precision grooves permit accurate and intricate bends and



66-5317
Three Jaw Pliers
 Adjust clasps, retainers, and archwires without marring the wire. The precision tips are carefully beveled to create extreme accuracy in adjustments. Wires up



66-5318
Bird Break Pliers
 An instruments for all types of wire bending. The round and pyramid shaped tapered beaks will work with any size wire up to .030" (.76mm).



66-5319
Posterior Band Remover, Long.
 Precision tapered beaks allow intricate bends and loops in archwires up to .020" (.51mm). The groove ensures a no-slip grip.



66-5320
Tweed Loop Forming Pliers
 Excellent for making precise loops in .045" (1.1mm), .060" (1.5mm), and .075" (1.9mm) diameters in wires up to .022" x .025" (.53mm x .64mm).



66-5321
Ractangular Arch Forming Pliers.
 Easily torque and bend wire without nicking the archwire. .070" (1.8mm) blade width. Wires up to .022" x .025" (.53mm x .64mm)



66-5322
Lingual Arch Forming Pliers
 From double-back and triple-back bends in .030" and .036" wire for lingual sheaths.



66-5323
Hollow Chop Contouring Pliers.
 Smooth working surface allow for consistent forming and contouring of arches up to .030" (.76mm).



66-5324
Light Wire Pliers
 Precision tapered beaks allow intricate bends and loops in archwires up to .020" (.51mm).

Wire Forming / Ligating Pliers

Drahtformungs- / Ligierzangen
Alambre de formación / Ligating

EN
DE
ES



SIKANDER
Brother



66-5325

Stop (v-Bend) Pliers.

Place an accurate 1 mm V-Bend with one simple squeeze to shorten, archwire or provide a positive stop. Wires up to .022" x .025" (.53 mm x .64mm)



66-5326

NiTi Three Jaw Pliers

Bends and forms NiTi and all other archwire up to .020" (.51mm).



66-5327

Bird Beak Pliers with Cutter

A versatile instrument that bends and cuts archwires up to .022" x .025" (.53mm x .64mm).



66-5328

Long Tapered Bird Beak Pliers.

Long tapered beaks allow for intricate bends of archwires up to .022" x .025" (.53mm x .64mm).



66-5329

NiTi Distal Cinch Back Pliers

Cinches and bends NiTi wire Distal to Buccal tube. Wires up to .025" (.63mm)



66-5330

Cinch Back Plier


The latest design for forming and cinching round or rectangular wire up to .025". Serrated tips are tapered to a fine point allowing access to hard to reach areas.



66-5331

Ultra Slim Niti Distal Plier

Serrated long beak are tapered to a fine point allowing access to hard to reach areas



66-5332

Ligature Forming Pliers

Easily bands ligature wire into a performed ligature bow Joint stainless steel.



66-5333

Loop Tie Back Plier

Four-step plier automatically forms loops on wire up to .020" with one motion. Closing loops are easily made to desired height.



66-5334

Torquing Pliers Set

Wide with key Specially designed with wide key to place torquing bend into small sections of archwires (such as a bend for a single tooth) without distorting adjacent sections of the wire. Two piece set consists of one torquing



66-5335

Replacement Blades.

5.0mm replacement blade for Adhesive. Removing Plier 1blade



66-5376
Distal End Cutter Flush Cut
 Safety hold is ideal for cutting wires the patient's mouth. Plier shear-cuts hard wires close to the buccal tube and holds loose wire. Maximum cutting capacity: Archwires up to .022" x .028".



66-5377
Weingart
 The tips of the utility plier are pointed and serrated to easily arch wire. Beak is rounded for patient safety and comfort.



66-5378
Direct Bound Bracket Remover
 Designed for quick, comfortable removal of steel and ceramic brackets. May be used to grip brackets vertically or horizontally



66-5379
Direct Bound Bracket Remover With Pad
 Similar to our regular direct bond brackets remover, but one tip features a replaceable pad. Pads available in 3/16" and 1/4"




66-5380
Three Jaw Aplier
 The gradually tapered prongs allow even the most delicate bends. Tips are precision aligned for consistency. Ideal for use in working with clasps and removable appliances. For use with wires up to .036".



66-5381
Lingual Arch Forming Plier
 From double-back bends in .030" or .036" wires with this plier. The double-back forming groove is designed to provide adequate flattening of wires.



66-5382
Omega Loop Forming Plier
 Ideal for forming inner bow loops accurately with .045" and .051" bows.



66-5383
Buccal Tube Convertible Cap Removing Plier

ALIGNERS SERIES

**Quality and engineering come
together for superior performance**


Aligners series consist of innovative instruments designed to accent, individualize and optimize the biomechanics of the invisible aligner experience with no heat required.

Every instrument features:

Correcting rotations is often a challenge with aligners. Our aligner series impress an indentation with the mesial or distal line angle of a tooth to enhance rotational control.

www.snb.com.pk





66-6001
The Hole Punch


Used to create half-moon cutouts for relief of clear aligners around bonded buttons used for elastic. The hole punch can nip away plastic to provide soft tissue clearance to prevent aligner impingement of tissue.


66-6002
Punch Pliers

Punches a hole into which the hook is inserted.


66-6003
Horizontal Aligner


Produces an indentation to accent individual root torque. Also enhance retention of either clear aligners or retainers by placing an indent into a tooth's undercut or below a bonded attachment.


66-6004
Vertical Aligner

The vertical emphasizes over correction of rotations by producing an indentation at the mesial or distal line angles on the facial and/or lingual of a specific tooth.


66-6005
Tear Drop Aligner


Provides a reservoir to hold the elastis in place as the aligner is seated. Designed to add a notch at the gingival margin of clear aligners anywhere elastic hooks are required within the arch.




66-6051
Bite Plane Pliers
Make bite plane aligners without acrylic



66-6052
Maxillary Tooth Moving Pliers
Tip or rotate larger teeth.



66-6053
Bubble-Forming Pliers
Create additional space in the aligner for the target tooth to move into.



66-6054
Mesial Distal Pliers
Lateral movement of both posterior and anterior teeth. Allow contact close to incisal edge.



66-6055
Micro Ramp Pliers
Tip, torque or rotate smaller teeth laterally. Allow contact close to incisal edge.



66-6056
Hook-Forming Pliers
Produce the projection needed to make a hook for the attachment of elastics.




66-6057
Large Circle Pliers
 Increase the size (diameter) of a large existing force point, Elevate hooks off of teeth.



66-6058
Elastic Slot Forming Pliers
 Form the slot in the projection to hold elastics



66-6059
Mandibular Tooth Moving Pliers
 Tip or rotate smaller teeth.



66-6060
Small Circle Pliers
 Increase the size (depth) of small existing force point.



66-6061
Undercut Enhancer Pliers
 Adjust loose aligners by tightening/estending plastic at interproximal points

Elastic Separating Pliers

Elastische Trennzange

Alicates separadores elásticos

EN

DE

ES



SIKANDER
Brother

Elastic separating pliers.
Hand crafted with surgical
stainless steel for effective
corrosion prevention.



66-6301

Elastic Separating Pliers

Beaks for accessibility, ease and accuracy. Grooved beaks assure positive hold for positioning.



66-6302

Elastic Separating Pliers


Beaks for accessibility, ease and accuracy. Grooved beaks assure positive hold for



66-6303

Elastic Separating Pliers

Beaks for accessibility, ease and accuracy. Grooved beaks assure positive hold for positioning.



66-6304

Elastic Separating Pliers

Beaks for accessibility, ease and accuracy. Grooved beaks assure positive hold for positioning.



66-6305

Elastic Separating Pliers

Beaks for accessibility, ease and accuracy. Grooved beaks assure positive hold for positioning.



66-6401

Mathieu Needle Holder Fine

Study rounded fine tips designed for twisting ligature wire. Fine tips. Size 14 cm



66-6402

Mathieu Needle Holder Narrow Tip


The narrow tip Mathieu style needle holder has serrated tips. Safety lock reduces the chances of gloves catching in the ratchet, while the double spring allows instant opening and closing. Excellent for placement of ligature wires and elastomeric ties. Size 14 cm



66-6403

Mathieu Needle Holder with T.C

Study, rounded tips designed for twisting ligature wire. Tungsten Carbide tips. Size 14 cm



66-6404

Curved Mathieu Needle Holder Standard

Study rounded tips designed for twisting ligature wire. Curved tip provides easy access to reach in difficult areas. Size 14 cm



66-6405

Mathieu Needle Holder Ultra Fine

Study rounded fine tips designed for twisting ligature wire. Ultra fine tips. Size 14 cm



66-6406

Mathieu Needle Holder

Elastomeric ligature placing forceps, Study, rounded tips designed for twisting ligature wire. Size 14 cm



66-6407

Curved Mathieu Needle Holder Fine


Study rounded fine tips designed for twisting ligature wire. Curved tip provides easy access to reach in difficult areas. Size 14 cm



66-6408

Mathieu Needle Holder with Teeth

Elastomeric ligature placing forceps, Study, rounded tips with top on teeth designed for twisting ligature wire. Size 14



66-6409

Mathieu Needle Holder Standard

Study, rounded tips designed for twisting ligature wire. Size 14 cm



66-6410

Mathieu Needle Holder with Hole

Elastomeric ligature placing forceps, Study, rounded tips with hole on top designed for twisting ligature wire. Size 14



66-6501

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6502

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6503

Deluxe Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Positioning blade helps with bracket alignment.



66-6504

Deluxe Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Positioning blade helps with bracket alignment.



66-6505

Boundable Tube Placer

Reversw action Tube placer designed for placing bondle tubes abd lingual brackets and attachments. Curved design allows placement with an unobstructed view.



66-6506

Tube Placer

Reversw action Tube placer designed for placing bondle tubes abd lingual brackets and attachments. Curved design allows placement with an unobstructed view.



66-6507

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6508

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6509

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6510

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6511

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6512

Standard Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6513

Direct Bond Bracket Holder

Spring loaded reverse action holds brackets until release is desired. Blade at the end of the tip helps with final bracket slot position.



66-6514

Curved Bracket Holder

Designed for placement of lingual brackets and attachments. Serrated tips give excellent grip.



66-6515

Multi-Use Bracket Holder with alignment Mirror

Multi-purpose tweezers with height guide. Bracket holder also offers a mirror with cross hairs as a guide to correct placement when bonding.



66-6516



66-6517



66-6518

Classic Perry Collage Plier

Features serrated tips for non-slip efficiency.



66-6601

Plugger & Scaler

Medium end plugger and other side with scaler.



66-6602

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6603

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6604

Twirl On Instrument

Designed to Quickly and more comfortably place cane-style ligature ties.



66-6605

Ligature Director

Used to help "tuck" excess steel ligature wire into the desired position. One end is straight, and the opposite end is angled for easy access to all regions of the mouth.



66-6606

Ligature Director & Remover

One end designed for the removal of elastics with a thin tapered tip the other end is a curved offset ligature



66-6607

Single Ended Band Setter

One end of this instrument assists in the placement of orthodontic bands.



66-6608

Classic Ligature Director

Used to help "tuck" excess steel ligature wire into the desired position.



66-6609

Bracket Positioner

A useful tool in placing brackets. Holds bondable attachments firmly, textured allows a secure grip. Light-weight design makes bracket placement easy. Made of anodized aluminum.



66-6610

Molar Cap Remover

Removes convertible caps from first molar buccal tubes. insert tip into opening of tube and use lever action to peel off cap. Includes 3 replacement tips.




66-6611
Shortly Twist Holder
 Precision - made holder. Simple insertion and locking of shortly ligature twists and shortly Koby twists. Makes tying ligatures and easy.



66-6612
Nickel Titanium High Heat Ice instruments
 Stainless steel scaler.



66-6613
Mershon Molar Band Seater
 Stainless steel serrated tip for a positive control.



66-6614
Band Seater
 Stainless steel serrated tip for a positive control.



66-6615
Mershon Band Pusher Small Round Handle
 Stainless steel serrated tip for a positive control.



66-6616
Adjustment Bracket Height Gauge
 Stainless steel Capable of being sterilizable.



66-6617
Bracket Height Gauge .18
 For Precise bracket positioning of .18 brackets.




66-6618
Bracket Height Gauge .22
 For Precise bracket positioning of .22 brackets.

66-6619
Bracket Height Gauge .18
 For Precise bracket positioning of .18 brackets.



66-6621
Bracket Height Gauge .18
 For Precise bracket positioning of .18 brackets.

66-6620
Bracket Height Gauge .22
 For Precise bracket positioning of .22 brackets.



66-6622
Bracket Height Gauge .22
 For Precise bracket positioning of .22 brackets.



66-6623
Bracket Height Gauge .18
 For Precise bracket positioning of .18 brackets.




66-6625
Bracket Height Gauge .18
 For Precise bracket positioning of .18 brackets.

66-6624
Bracket Height Gauge .22
 For Precise bracket positioning of .22 brackets.

66-6626
Bracket Height Gauge .22
 For Precise bracket positioning of .22 brackets.



66-6627
Bolaey Gauge
 Designed for accessibility and ease of measuring in millimeters.



66-6628
Internal Boley Gauge
 Curved pointed tips for accuracy




66-6629
Positioning Gauge
 Four different measurement setting-3.5mm,4mm,4.5mm, and 5mm allow you to select the right.



66-6630
Small Stainless Steel Cheek Retractor
 Stainless steel cheek retractor with satin finish to prevent glare.




66-6631
Bite Sticks Color: Sterilization
 Tan: High Heat Auto. (up to 600), Blue: High Heat Auto. (up to 375), Orange/Purple: Autoclave (up to 270)



66-6632
Arch Turret with 5 wire-solts
 .016" - .017"-.018"-.020" and .022"


Crown and Gold Scissors



66-6633
 11.5 cm/4 1/2"
 Straight

66-6634
 11.5 cm/4 1/2"
 Curved

Wire Scissors



66-6635
 12 cm/4 3/4"

66-6636
 12 cm/4 3/4"
 TC



66-6637
 Instruments Set



66-6638
 Instruments Set



SIKANDER
Brother

Sikander Brothers
91 Model Town Daska,
Sialkot, 51010, Pakistan.

Tel: +92 52 6501523, 6615853
Cell: +92 321 4278523

Email: info@snb.com.pk
Website: www.snb.com.pk

